



ITW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Frank Winkens et al.

Serial No: 10/577,280 Filing Date: April 25, 2006

Title: CAPACITIVE SENSORS FOR DETECTING THE FILLING  
LEVEL OF A MEDIUM IN A CONTAINER

May 8, 2007

Attorney's Docket No.: MSA266T4

TRANSMITTAL LETTER

Commissioner for Patents  
P.O. BOX 1450  
Alexandria, Virginia 22313-1450

SIR:

Transmitted herewith for filing is:

<X> INFORMATION DISLOSURE STATEMENT (2 pages)

<X> INFORMATION DISCLOSURE CITATION (1 page)

<X> COPY OF INTERNATIONAL SEACH REPORT (1 page)

<X> The Commissioner is hereby authorized to charge any fees under 37 CFR 1.16, 1.17 and 1.18 or any additional fees which may be required during the entire pendency of the application, or credit any overpayment, to Acct. No.11-0224. A duplicate copy of this sheet is enclosed. If and only if(r) account funds should be insufficient, immediately contact our associate, Lisa Zumwalt, at (703)415-0579, who will pay immediately to avoid deprivation of rights.

<> Please charge my Deposit Account No.11-0224 in the amount of \$\_\_\_\_\_. A duplicate copy of this sheet is enclosed.

A signature or signatures required for the above recited document(s) is (are) provided herebelow. Such signature(s) also provide(s) ratification for any required signature appearing to be defective in the above recited document(s).

A handwritten signature in black ink, appearing to read "Horst M. Kasper".

Horst M. Kasper, 13 Forest Drive, Warren, N.J. 07059  
Reg. No. 28,559 Tel.(908) 526-1717

**CERTIFICATE OF MAILING under 37 CFR 1.8:**

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Hon. Commissioner for Patents, P.O. 1450, Alexandria, VA 22313

on May 8, 2007 Signature: MAY 08 2007  
%MSA266(May 8, 2007) am



Applicant Frank Winkens et al.

Serial No: 10/577,280 Filing Date: April 25, 2006

Title: CAPACITIVE SENSORS FOR DETECTING THE FILLING  
LEVEL OF A MEDIUM IN A CONTAINER

*May 8, 2007*

*Attorney's Docket No.: MSA266ID*

**INFORMATION DISCLOSURE STATEMENT  
UNDER 37 CFR § 1.97.**

Hon. Commissioner of Patents and Trademarks

P.O. Box 1450

Alexandria, VA 22313

SIR:

Applicants are submitting the following patent documents:

Country:	Doc.number:	Class:	Relevant Date:
----------	-------------	--------	----------------

USA	US 5 722 290		03/03/1998
-----	--------------	--	------------

USA	"A PLANAR CAPACITIVE PRECISION GAUGE FOR FOR LIQUID-LEVEL AND LEAKAGE DETECTION" IEEE TRANSACTIONS ON INSTRUMENTATION AND MEASUREMENT, US, IEEE INC. NY, VOL. 46, NO.2, PAGES 644-646, XP000197702		04/01/1997
-----	--	--	------------

This statement, together with the accompanying INFORMATION DISCLOSURE CITATION is provided to inform the U.S. Patent and Trademark Office of known art. In view of the

many possibilities in which references can form a basis for a combination of references possibly alleged to be a basis for an obviousness type rejection in an Office Action, it is deemed to be virtually impossible for an applicant to recite references for each and every element forming part of a claim and, furthermore, in view of an unknown individual element identity precision versus state of the art, elements with some difference in element identity.

The above recited references taken alone or in combination are believed neither to anticipate or to render obvious the present application.

Consideration of the reference document during the examination of the present application is respectfully requested.

Respectfully submitted,

Frank Winkens et al.

By:

*Horst M Kasper*

---

Horst M. Kasper, their attorney  
13 Forest Drive, Warren, N.J. 07059  
Tel.:(908)757-2839 Fax:(908)668-5262  
Reg.No. 28,559 Docket No.: MSA266

%MSA266(May 8, 2007(am